



U.S. Department
of Homeland Security

United States
Coast Guard

LOCAL NOTICE TO MARINERS WEEKLY EDITION

District: 13

Week: 23/04

Boating Safety Classes or Information: 1-800-336-BOAT (2628)

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (oan)
915 Second Avenue, Seattle, Washington 98174-1067
Telephone (206) 220-7280 FAX # (206) 220-7265
Email: D13LNM@pacnorwest.uscg.mil
<http://www.navcen.uscg.gov/lnm/d13/>

LIGHT LIST REFERENCE: COMDTPUB P16502.6, Light List Volume VI, 2004 Edition

UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS, DGPS, and LORAN-C. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website

<http://www.navcen.uscg.gov/gps/status/default.htm>.

In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or LORAN service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: webmaster@navcen.uscg.mil or on the World Wide Web at: <http://www.navcen.uscg.gov>.

BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

<u>Originating Unit</u>	<u>Beginning BNM</u>	<u>Ending BNM</u>
CGD THIRTEEN	D13-0605-04	D13-0644-04

ABBREVIATIONS

ACOE - Army Corps of Engineers
ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
B - Buoy
BKW - Breakwater
B - Refer to Light List
BNM - Broadcast Notice to Mariner
CG - Refer to Light List
CHAN - Channel
CGD - Coast Guard District
CR - Refer to Light List
C/O - Cut Off
CONT - Contour
CONSTR - Construction
CRK - Creek
CONST - Construction
DBN - Daybeacon
DBD/DAYBD - Dayboard
DBN/DEST - Daybeacon Destroyed
DBN IMCH - Daybeacon Improper Characteristic
DISCON - Discontinued
DMGD - Daybeacon Damaged

EST - Established Aid
EVAL - Evaluation
EXT - Extinguished
FL - Flashing
F/S - Fog Signal
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height
ICW - Intracoastal Waterway
IMPCHA - Improper Characteristics
INL - Inlet
INOP - Not Operating
ISL - Islet
KBG - Refer to Light List
KBG-I - Refer to Light List
KBR - Refer to Light List
KBR-I - Refer to Light List
KBW - Refer to Light List
KGB - Refer to Light List
KGB-I - Refer to Light List
KGR - Refer to Light List
KGR-I - Refer to Light List

KGW - Refer to Light List
KGW-I - Refer to Light List
KRB - Refer to Light List
KRB-I - Refer to Light List
KRG - Refer to Light List
KRG-I - Refer to Light List
KRW - Refer to Light List
KWB - Refer to Light List
KWB-I - Refer to Light List
KWG - Refer to Light List
KWG-I - Refer to Light List
KWR - Refer to Light List
KWR-I - Refer to Light List
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LWB - Lighted Whistle Buoy

MISS - Missing
 MR - Refer to Light List
 MR-I - Refer to Light List
 N/A - Not Available
 NB - Refer to Light List
 N/C - Not Charted
 ND - Refer to Light List
 NG - Refer to Light List
 NIMA - National Imagery and Mapping Agency
 NL - Refer to Light List
 NO - Number
 NOS - National Ocean Service
 NR - Refer to Light List
 NW - Refer to Light List
 NW - Notice Writer
 NY - Refer to Light List

OBSCU - Obscured
 OBST - Obstruction
 OBSTR - Obstruction
 PRIV - Private Aid
 RBN - Radio Beacon
 REBUILT - Aid Rebuilt
 RECOVERED - Aid Recovered
 RED - Red Buoy
 REDINT - Reduced Intensity
 RRL - Range Rear Light
 RELIGHTED - Aid Relighted
 RELOC - Relocated
 RESET ON STATION - Aid Reset on Station
 RFL - Range Front Light
 RIV - River
 SEC - Section

SG - Green Square on pile
 SG-SY - Green Square with Yellow Square on pile
 SHL - Shoaling
 SND - Sound
 STM - Statue Mile
 TEMP - Temporary Aid Change
 TR - Red Triangle on pile
 TRLB - Temporarily Replaced by Lighted Buoy
 TRLT - Temporarily Replaced by Light
 TR-TY - Red Triangle with Yellow Triangle on pile
 TRUB - Temporarily Replaced by Unlighted Buoy

Additional Abbreviations Specific to this LNM Edition:

LED - Light Emitting Diode

LWP - Light Watching Properly

CPA - Point of Closest Approach

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

WASHINGTON - CRESCENT HARBOR - Navigation Hazard

The U.S. Navy will be detonating high explosives within 1NM of 48-17-34.0N 122-35-03.0W from 1400Z to 2330Z on 17 and 18 Jun 04. For additional information, contact U.S. Navy at (619) 437-3109.

Chart 18428

LNM: 23/04

COLUMBIA RIVER - APPROACHES TO ASTORIA - Scientific Buoy

The Oregon Health and Science University has temporarily deployed a Lighted Research Buoy (yellow can) at approximate position 46-10-30.0N 124-07-06.0W showing a Flashing Yellow 4 seconds (FL Y 4s) light. The buoy is expected to remain in place until 31 Oct 04. For additional information, contact Oregon Health and Science University at (503) 748-4059.

Chart 18521

LNM: 23/04

WASHINGTON - EAST PASSAGE - Diving Operations

Goeduck harvesting dive operations are being conducted in the area of Point Heyer, on the east side of Vashon Island, commencing 02 Jun to 21 Jun 04 from 0800 to 1600 local, Monday through Friday, excluding state holidays. The Department of Natural Resources patrol boat will be on site daily and will be monitoring VHF-FM Channel 8. Mariners are requested to remain 300ft clear of dive vessels. For additional information, contact WA Department of Natural Resources at (360) 902-1100.

Chart 18474

LNM: 23/04

WASHINGTON - HOOD CANAL - Submerged Buoys

Naval Undersea Warfare Center Division, Keyport installed two submerged buoys 20ft from the bottom at approximate position 47-40-49N 122-49-07W and 47-40-09N 122-49-07W. The buoys will remain moored until 31 Jul 04. Mariners are requested to use caution in the vicinity to prevent fouling of fishing gear. For additional information, contact Naval Undersea Warfare Center at (360) 396-1359.

Chart 18458

LNM: 22/04

WASHINGTON - LAKE WASHINGTON - Lock Closure

The Hiram M. Chittenden Large Lock will be closed to all traffic, with the small lock remaining open to all vessels within size restrictions from 0001 20 Nov to 1600 local 03 Dec 04 for annual maintenance. For additional information, contact the Army Corps of Engineers at (206) 783-7000.

Chart 18447

LNM: 22/04

WASHINGTON - OFFSHORE - Ocean Operations

Ocean operations will be conducted in an 8NM circle centered at 48-07-00N 125-30-00W from 0001 local on 29 May to 2359 local on 13 Jun 04. The operation will present a hazard to fishing gear. The R/V Katmai will be on site from 10 Jun to 13 Jun 04, and the M/V Independence will be on site from 02 Jun to 10 Jun 04. The onsite vessel may be contacted on VHF-FM Channel 16. Mariners are requested to maintain a 4NM CPA from this position. For additional information, contact NFESC at (805) 982-1270.

Chart 18480

LNM: 22/04

WASHINGTON - WHIDBEY ISLAND DGPS SITE - Off Air Approval

Whidbey Island, WA DGPS site is authorized to be off-air from 1700Z to 1900Z 22 Jun 04 and possibly from 1700Z to 1900Z 23 Jun 04. For additional information, contact NAVCEN DGPS West OPs POC at (707) 765-7612.

Chart N/A

LNM: 20/04

WASHINGTON - OFF SHORE - Submersible Operations

The U.S. Navy will be conducting submerged operations within 5NM of 48-00-00N 129-06-00W from 0900 local 23 May to 1700 local 08 Jun 04. For additional information, contact the U.S. Navy at (808) 473-2518.
 Chart 18007 LNM: 20/04

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
765/ 16150	Duntze Rock Lighted Whistle Buoy 2D	REDINT / 3NM TEMP LED	18480	D13-0755-03	26/03	
8735	Coos Bay Entrance Lighted Bell Buoy 1	REDINT / 3NM TEMP LED	18587	D13-0202-04	07/04	
8755	Coos Bay North Jetty Lighted Gong Buoy 3	Off Station / 42.7 yds bearing 267.5°T	18587	D13-0164-04	06/04	
8775	Coos Bay Channel Lighted Bell Buoy 5	Off Station / 12 yds bearing 120°T	18587	D13-0260-04	10/04	
9600	Yaquina Bay Entrance Lighted Gong Buoy 3	REDINT / F/S INOP	18561	D13-0574-04	21/04	
9815	Tillamook Bay Entrance Bell Buoy 1	MISS	18521	D13-0242-04	09/04	
10015	Desdemona Sands Lighted Gong Buoy 29	Riding low in the water	18521	D13-0523-04	20/04	
13155	Snake River Buoy 7	Off Station / 30 yds bearing 061°T	18545	D13-0548-04	20/04	
15186	Willapa Bay Entrance Buoy C	MISS	18504	D13-0630-04	23/04	
16075	Quillayute River Approach Lighted Whistle Buoy Q	REDINT / 3NM TEMP LED	18480	D13-0883-03	30/03	
16085	Quillayute River Entrance Buoy 2	MISS	18480	D13-0306-04	12/04	
17615	Kilisut Harbor Daybeacon 8	Structure MISS / TRUB	18441	D13-0710-03	25/03	
19815	Boundary Pass Shoal Isolated Danger Lighted Bell Buoy DB	MISS	18421	D13-0627-04	23/04	
19935	International Boundary Range C Front Light	IMPCHA / DBD Faded and Peeling	18421	D13-1191-02	38/02	

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
None						

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
9185	North Slough Channel Daybeacon 4	IMPCHA	18587	D13-0478-04	18/04	
9190	North Slough Channel Daybeacon 8	IMPCHA	18587	D13-1144-02	36/02	
9195	Haynes Inlet Channel Daybeacon 1	IMPCHA	18587	D13-0479-04	18/04	
9205	Haynes Inlet Channel Daybeacon 5	IMPCHA	18587	D13-0480-04	18/04	
9210	Haynes Inlet Channel Daybeacon 7	IMPCHA	18587	D13-0481-04	18/04	
16847	Elliott Bay Fish Haven Buoy A	MISS	18449	D13-0467-04	18/04	

16848	Elliott Bay Fish Haven Buoy B	MISS	18449	D13-0466-04	18/04
16885	Georgetown Reach Range Rear Light	IMPCHA	18449	D13-0487-04	18/04
17129	St Paul Waterway Buoy 2	MISS	18448	D13-0477-04	18/04
17145	Blair Waterway Lighted Buoy	TEMP DISCON	18448	D13-0484-04	18/04
17345	Tolmie Beach State Park Buoy	MISS	18448	D13-0513-04	20/04
17397	Boston Harbor Regulatory Buoys (7)	2 of 7 buoys MISS	18448	D13-0514-04	20/04
19755	Pearl Island Dock Light	EXT	18421	D13-0448-04	18/04

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNLM St	LNLM End
16900	Alaska Hydro-Train Light A	LWP	18449	D13-062004	18/04	23/04
16905	Alaska Hydro-Train Light B	LWP	18449	D13-0621-04	20/04	23/04
18940	Cornet Bay Daybeacon 8	LWP	18421	D13-0636-04	20/04	23/04

SECTION III – TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNLM St	LNLM End
16856	Coast Guard Pier Light North	TEMP DISCON	18449	D13-0729-03	26/03	
16857	Coast Guard Pier Light South	TEMP DISCON	18449	D13-0729-03	26/03	

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNLM St	LNLM End
None						

SECTION IV – CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which Chart(s) are to be corrected. The following example explains the individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariner
18427	20 TH ed	3/18/2000	Last LNM 25/99	NAD 83	(NOS Silver Spring)	40/99
<div> <div>Chart Title: WA – ANACORTES TO SKAGIT BAY - (Temp)</div> <div> <div>Add</div> <div>Ben Ure Island Light 2, FI R 4s, 25ft 4M</div> </div> <div>at</div> <div> <div>48°24'12.1"N</div> <div>124°37'42.0"W</div> </div> </div>						
	Corrective Action	Object of Correction				Position

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

18421	46th ed	Sep 2003	Last LNM 22/04	NAD 83	(NOS NW -7762)	23/04
Chart Title: WA - STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA						
Relocate	Swinomish Channel South Entrance Daybeacon10A and change characteristics to R "14"				from 48-22-04.8N	122-31-17.8W
Change	Semiahmoo Bay Light 4 to FI R 6s 15ft 4M				to 48-22-02.5	122-31-32.3W
Delete	Semiahmoo Bay Light 4 dashed lines and legend LT OBSC				at 48-59-32.3N	122-47-02.4W
(DRAYTON HARBOR)					at 48-59-32.3N	122-47-02.4W
Change	Semiahmoo Bay Light 4 to FI R 6s 15ft 4M				at 48-59-32.3N	122-47-02.4W
Delete	Semiahmoo Bay Light 4 dashed lines and legend LT OBSC				at 48-59-32.3N	122-47-02.4W

18502	85th ed	Jun 2004 New Edition	Last LNM 22/04	NAD 83	(NOS Silver Spring)	23/04
Chart Title: WA - GRAYS HARBOR					1 : 40,000	
(New edition due to numerous Notice to Mariner changes and various general changes.) This NOAA chart is now available in both the Print-on Demand and digital raster formats. See http://chartmaker.ncd.noaa.gov/mcd/dole.htm for details. The corresponding traditional paper chart will be available in two to eight weeks.						

18524	34th ed	Jun 2004 New Edition	Last LNM 20/04	NAD 83	(NOS Silver Spring)	23/04
Chart Title: OR - WA - COLUMBIA RIVER - CRIMS ISLAND TO ST HELENS					1 : 40,000	
(New edition due to numerous Notice to Mariner changes and various general changes.) This NOAA chart is now available in both the Print-on Demand and digital raster formats. See http://chartmaker.ncd.noaa.gov/mcd/dole.htm for details. The corresponding traditional paper chart will be available in two to eight weeks.						

18584	47th ed	25 Aug 2001	Last LNM 06/04	NAD 83	(NOS NW -7676)	23/04
Chart Title: OR - UMPQUA RIVER - PACIFIC OCEAN TO REEDSPORT						
Add		Tabulation: Umpqua River Channel			at	43-39-37.0N 124-07-18.0W

OIL RIG MOVEMENT

Drill Rigs/Vessels Removed

<u>Latitude</u>	<u>Longitude</u>	<u>Block</u>	<u>Rigs/Vessel</u>	<u>Chart</u>	<u>Type</u>	<u>Status</u>
None						

Drill Rigs/Vessels Established

<u>Latitude</u>	<u>Longitude</u>	<u>Block</u>	<u>Rigs/Vessel</u>	<u>Chart</u>	<u>Type</u>	<u>Status</u>
None						

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Waterway</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office Attn John Barberi (206) 220-7276 unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – STRAIT OF JUAN DE FUCA ENTRANCE	02 Jul 2004		LNM: 21/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change Strait of Juan De Fuca Traffic Lane Separation Lighted Buoy "JA" (LLNR 756/16136) from a flashing yellow every four-second (FL Y 4s) to a flashing yellow every 2.5 seconds (FL Y 2.5s) LED Lantern and change the buoy hull to yellow disk-shaped with the numbers 46087 painted on the hull.

Chart 18460

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – STRAIT OF JUAN DE FUCA (EASTERN PART)	02 Jul 2004		LNM: 21/04

Navigation Aids: Establish NOAA lighted weather buoy 46088.

Establish NOAA Environmental Lighted Buoy 46088 (LLNR 16337), a yellow disk-shaped buoy showing a flashing yellow light every 2.5 seconds (FL Y 2.5s) LED Lantern in approximate position 48-20-00N, 123-10-00W, with a nominal range of 4NM.

Chart 18465

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – PUGET SOUND – STRAIT OF JUAN DE FUCA	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Rosario Strait Traffic Lane Entrance Lighted Buoy "R" (LLNR 16340). Discontinue the flashing yellow four-second light (FL Y 4s) and install a 6-mile yellow 2.5-second Light Emitting Diode (LED) Lantern.

Rosario Strait Traffic Lane Separation Lighted Buoy "RA" (LLNR 16370). Discontinue the flashing yellow four-second light (FL Y 4s) and install a 6-mile yellow 2.5-second Light Emitting Diode (LED) Lantern.

Chart 18400, 18421, 18440, 18465

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – ADMIRALTY INLET AND PUGET SOUND TO SEATTLE	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Puget Sound Traffic Lane Separation Lighted Buoy "SC" (LLNR 16510). Discontinue the flashing yellow four-second light (FL Y 4s) and install a 6-mile yellow 2.5-second Light Emitting Diode (LED) Lantern.

Chart 18423, 18440, 18441, 18471, 18473, 18477

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – PUGET SOUND – NORTHERN PART	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range from three (3) to four (4) nautical miles on the following aids to navigation:

Mats Mats Bay Channel Light 5 (LLNR 17670)
Mats Mats Bay Channel Light 7 (LLNR 17690)

Chart 18441

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
SNAKE RIVER – LITTLE GOOSE RESERVOIR	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Little Goose Reservoir Light 8 (LLNR 13730) from two (2) to four (4) nautical miles.

Change nominal range of Little Goose Reservoir Light 43 (LLNR 13895) from three (3) to four (4) nautical miles.

Chart 18521

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
COLUMBIA RIVER – PACIFIC OCEAN TO HARRINGTON POINT	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Desdemona Sands Channel Leading Light (LLNR 9975) from ten (10) to four (4) nautical miles.

Chart 18521

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Yaquina Bay Light 14 (LLNR 9675) from two (2) to four (4) nautical miles.

Change nominal range of Yaquina River Light 47 (LLNR 9775) from three (3) to four (4) nautical miles.

Chart 18561

<u>Waterway</u> OREGON – SIUSLAW RIVER	<u>Closing</u> 16 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 23/04
---	--------------------------------	-------------------	-------------------------------

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range from three (3) to four (4) nautical miles on the following aids to navigation:

Siuslaw River Light 5 (LLNR 9465)
Siuslaw River Light 8 (LLNR 9490)
Siuslaw River Channel Light 9 (LLNR 9495)
Siuslaw River Channel Light 23 (LLNR 9550)

Chart 18583

<u>Waterway</u> OREGON – UMPQUA RIVER	<u>Closing</u> 16 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 23/04
--	--------------------------------	-------------------	-------------------------------

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Salmon Harbor Entrance Light 1 (LLNR 9290) from three (3) to four (4) nautical miles.

Chart 18584

<u>Waterway</u> OREGON – COOS BAY	<u>Closing</u> 16 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 23/04
--------------------------------------	--------------------------------	-------------------	-------------------------------

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range from three (3) to four (4) nautical miles on the following aids to navigation:

Coos Bay Light 17 (LLNR 8920)
Jarvis Dike 6.8 Light 19 (LLNR 8940)
Coos River Entrance Light 1 (LLNR 9101)

Chart 18587

<u>Waterway</u> OREGON – PYRAMID POINT TO CAPE SEBASTIAN	<u>Closing</u> 16 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 23/04
---	--------------------------------	-------------------	-------------------------------

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Chetco River Entrance Light 11 (LLNR 8640) from three (3) to four (4) nautical miles.

Chart 18602

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

OREGON - Bridge Information

Siuslaw River

The U.S.101 Bridge at Florence need not open for the passage of vessels from 0001 local 07 Sep to 2359 local 29 Oct 04. The temporary closure is authorized for a resurfacing project on the double-leaf bascule.

Chart 18583 LNM: 20/04

OREGON - Bridge Information

Coquille River

The Bullard Ferry Bridge at Coquille River mile 3.5 has been disabled and cannot open for vessel traffic until repairs are made.

Chart 18588 LNM: 12/04

OREGON - Bridge Information (Revisions of LNM 04/04)

Willamette River

The Broadway Bridge at mile 11.7 will require 24 hour notification for openings from 27 Feb to 15 Nov 04 due to operations related to painting.

Chart 18526 LNM: 09/04

OREGON - Bridge Information

Willamette River

During the following periods the Broadway Bridge at mile 11.7 need not be opened for vessels from 0600 local on the start date to 0600 local on the end date: 7-10 Jul, 11-14, 15-18, 19-22, 23-26, 27-30, 31 Jul to 04 Aug, 05-08, 09-12, 13-16, 17-20, 21-24, 25-28, 29 Aug to 01 Sep, 02-05 Sep 04. From 07 Jul through 04 Sep 04, 24 hour notice must be provided for openings. These deviations from normal operations accommodate the ongoing paint and repair project on the bridge.

Chart 18526

LNM: 23/04

OREGON - Bridge Information

Willamette River

The Burnside Bridge at mile 12.4 need not open for the passage of vessels from 0700 16 Jun to 0700 local 18 Jun 04, during essential machinery inspection.

Chart 18526

LNM: 21/04

OREGON - Bridge Information

Willamette River

The Burnside Bridge at mile 12.4 need not open for the passage of vessels from 0630 to 0930 local on 18 Jul and from 0700 to 1100 local on 19 Sep 04, to accommodate public events.

Chart 18526

LNM: 14/04

OREGON - Bridge Information

Willamette River

The Burnside Bridge at mile 12.4 need not open for the passage of vessels from 0700 to 1400 local on 12 Jun to accommodate the Rose Festival Grand Floral Parade.

Chart 18526

LNM: 22/04

OREGON - Bridge Information

Willamette River

The Hawthorn Bridge at mile 13.1 need not open for the passage of vessels from 0730 to 0830 local on 11 Jul 04, to accommodate a public event.

Chart 18526

LNM: 14/04

OREGON - Bridge Information

Coos Bay

The Coos Bay Railroad Bridge, at mile 9.0, swing span has a mechanical failure and can only be opened by tug. Mariners should provide as much notice as possible for openings until a broken drive shaft is repaired. The bridge operator monitors VHF-FM Channel 18A when bridge is in operation. The bridge operator can also be reached at (541) 912-8691.

Chart 18587

LNM: 34/03

COLUMBIA RIVER - SNAKE RIVER - Bridge Information (Revisions of LNM 12/04)

Longview

A barge will be located at the middle of the main span of the Lewis and Clark Bridge at mile 66 on 10 Jun 04, at approximately 2130 local for two hours. The barge is removing the last work platform from beneath the bridge.

Chart 18524

LNM: 22/04

COLUMBIA RIVER - Bridge Information

Vancouver

The dual liftspans of the Interstate 5 dual vertical lift bridges at river mile 106.5 will be effected throughout the summer of 2004 by a major mechanical-electrical rehabilitation project. From 0900 01 Jul to 0630 local 15 Jul 04 the draws need not open for the passage of vessels unless two hours notice is provided. From 0630 15 Jul to 2100 local on 06 Aug 04 the draws will not open. Scheduled openings will occur, if requested, at 2100 local on 06 and 20 Aug, 03 and 17 Sep and 01 Oct 04. The draws will not return to normal operations until 2100 local on 15 Oct 04.

Charts 18524, 18526

LNM: 12/04

COLUMBIA RIVER - Bridge Information

Hood River

The Hood River White Salmon Bridge at mile 169.8 is stuck in the closed position.

Charts 18532

LNM: 21/04

WASHINGTON - Bridge Information

Duamish West Waterway

The Spokane Street Dual Swingspan at mile 0.3 – Vessel operators who need draw openings are requested to pass through a west span opening whenever safe passage through this half -opening is possible. The Coast Guard recognizes this limited operation for consenting vessels only. Cracking has been discovered in the vertical lift cylinder of the east span. The manufacture and replacement of this unique part will take months. Minimizing the load bearing of the cylinder may prevent a failure of the east span similar to the one that occurred in 2001 at the west span. Operators will continue to open both sides of the bridge to any vessel that requests a full opening.

Chart 18450

LNM: 11/02

WASHINGTON - Bridge Information

Lake Washington

The Montlake Bridge draw need not open for the passage of vessels from 1130 to 1400 and from 1630 to 1800 local 12 Jun 04, to accommodate heavy traffic for the University of Washington Commencement.

Chart 18447

LNM: 19/04

WASHINGTON - Bridge Information

Lake Washington

The Montlake Bridge draw need not open for the passage of vessels from 2000 17 Jul to 0600 local 18 Jul 04 and from 2000 24 Jul to 0600 local 25 Jul 04. These closures are for a King County Metro rebuild project for overhead electrical trolley wires on Montlake Boulevard.

Chart 18447

LNM: 23/04

WASHINGTON - Bridge Information

Lake Washington

To accommodate heavy roadway traffic the following draws have temporary closed periods. The Fremont Bridge need not open for the passage of vessels from 2100 04 Jul to 0015 local 05 Jul 04, while the Ballard and University Bridges need not open from 2200 Jul to 0015 local 05 Jul 04. All the bridges will have operators on duty until 0130 local 05 Jul 04 when operations will revert to one hour notice for openings.

Chart 18447

LNM: 23/04

WASHINGTON - Bridge Information

Tacoma Narrows Bridge – (Revision of LNM 31/03)

Construction – Derrick barges will be deployed at various locations around the pier locations for the new parallel bridge near the piers of the existing Tacoma Narrows Bridge. Buoys have been deployed to mark anchor cables for retrieval this summer when caissons are floated into position for the new footing excavation. These buoys are in the process of being lighted and repainted for improved visibility. Lights may be extinguished by submersion in strong currents. A free channel 1600 feet wide currently exists. Mariners should exercise caution while passing construction activity. Further updates will be included in this publication.

Charts 18448, 18474

LNM: 32/03

WASHINGTON - Bridge Information

Tacoma Narrows Bridge – (Revision of LNM 32/03)

The Coast Guard has issued a safety zone regulation until 06 Aug 04, for all waters of the Tacoma Narrows, Puget Sound, and adjoining waters of Washington state, within a 250 yard radius around each of the following coordinates: 47-15-54N 122-32-50W and 47-16-15N 122-33-16W. No vessel will be allowed to transit this area without the permission of the Coast Guard. The Coast Guard may be reached on VHF-FM Channel 16.

Charts 18448, 18474

LNM: 06/04

WASHINGTON - Bridge Information

Everett

State Route 529 Swingspan Bridge across Steamboat Slough at Everett is inoperable due to mechanical failure until further notice.

Chart 18443

LNM: 36/03

Bridge Lighting Discrepancies:

Lights on the following bridges have been reported extinguished.

Waterway and Mile	Bridge Name	Location	Status	Date reported	BNM	LNM
Coquille River Mile 3.5	Bullards Ferry Bridge	Brandon OR	EXT	12 May 04	0519-04	20/04
Coos Bay Mile 9	Coos Bay Railroad Bridge	Coos Bay OR	EXT	30 Apr 04	0454-04	18/04
Umpqua River Mile 11.1	U.S. Highway 101	Reedsport OR	EXT	17 May 04	0549-04	20/04
Siuslaw River Mile 0.7	U.S Highway 101 Bridge	Florence OR	EXT	04 Jun 04	0625-04	23/04
Siuslaw River Mile 8.0	CO and PRR Bridge	Acme OR	EXT	04 Jun 04	0626-04	23/04
Alsea Bay Mile 2.0	Alsea Bay Bridge	Waldport OR	EXT	01 Jun 04	0604-04	22/04
Yaquina Bay Mile 0.7	Yaquina Bay Bridge	Newport OR	EXT	04 Jun 04	0624-04	23/04
Siletz Waterway Mile 2.0	US 101 Bridge	Kernville OR	EXT	01 Jun 04	0603-04	22/04
Swinomish Channel Mile 8.2	Highway 20 Bridge	Ancortes WA	EXT	01 Jun 04	0597-04	22/04
Duwamish Mile 3.8	South Park Bridge	Seattle WA	EXT	03 May 04	0469-04	18/04
Chambers Creek Mile 0.0	Chambers Creek Bridge	Seattle WA	EXT	05 May 04	0490-04	19/04
Hylebos Waterway Mile 1.1	East 11th Street Bridge	Seattle WA	EXT	05 May 04	0489-04	19/04
Port Townsend Canal Mile 0.2	Port Townsend Canal Bridge	Port Townsend WA	EXT	04 Jun 04	0623-04	23/04
Port Orchard	Warren Ave Bridge	Bremerton WA	EXT	05 May 04	0491-04	19/04
Lake Washington Ship Canal	Ballard Railroad Bridge	Seattle WA	EXT	02 Jun 04	0609-04	23/04

Bridge Lighting Discrepancies Corrected:

The following bridge discrepancies have been corrected since the last Local Notice to Mariners:

Waterway and Mile	Bridge Name	Location	Status	Date reported	BNM	LNM
Coos River Mile 2.2	Chandler Bridge	Coos County OR	LWP	12 May 04	0637-04	23/04
Coos River Mile 2.2	Anson-Rogers Bridge	Coos County OR	LWP	12 May 04	0638-04	23/04
Coos Bay Mile 9.8	McCullough Bridge	Coos Bay OR	LWP	30 Apr 04	0639-04	23/04
Isthmus Slough Mile 6.0	Coos City Bridge	Coos County OR	LWP	12 May 04	0640-04	23/04
Columbia River Mile 14	Astoria Megler Bridge	Astoria OR	LWP	14 May 04	0641-04	23/04
Columbia River Mile 66	Lewis and Clark Bridge	Longview WA	LWP	11 May 04	0505-04	23/04

THIRTEENTH COAST GUARD DISTRICT - Request for information on the use of large-scale driftnets on the high seas

The United States Coast Guard (USCG) requests mariners be on the lookout for and report any observed driftnets or vessels engaged in driftnet fishing on the high seas (more than 200NM from shore). Sighting information may be made to any of the following Coast Guard offices:

Offices	Phone	Fax	Telex	Email
USCG Pacific Area Alameda, CA	1-800-246-7236 1-510-437-3701	1-510-437-3017	230172343	OD11/Pacarea@d11.uscg.mil
USCG 14th District Honolulu, HI	1-800-331-6176 1-808-541-2500	1-808-541-2123		D14ccdutyofficer@D14.uscg.mil
USCG 17th District Juneau, AK	1-800-478-5555 1-907-463-2000	1-907-463-2023	49615066	D17-cc@cgalaska.uscg.mil

Illegal high seas driftnet (HSDN) fishing has historically been conducted in the Northwest Pacific Ocean. Mariners following great circle routes between North America and Asia are most likely to encounter this activity. Fishing activity normally takes place between 01 Apr and 31 Aug. However, illegal activity may occur in other areas and at other times of the year.

Information desired include date, time, position, description of gear/vessel, and observed activity. Video or photographs are highly desired.

HSDN Fishing Vessel Characteristics:

HSDN fishing vessels typically range from 120 to 200 feet in length and are usually in fair to poor condition. Distinguishing characteristics include:

Net tube: A large, usually white tube, which extends from the working deck to the net bin located aft. This tube is about two feet in diameter, runs along the port or starboard side of the superstructure, and is clearly visible from both the surface and air.

Net bin: A structure normally located on an aft deck in which the nets are stored.

Net spreader: A triangular or roller net spreading device, which prevents the net from becoming entangled as it enters the water. While only visible from the stern, this is one characteristic, which clearly distinguishes a HSDN fishing vessel from a longline or other fishing vessel.

Transponders: The radio transponders are approximately 4-6 ft tall, are used to mark the end of a net and are normally stored in racks on the weather decks.

When the net is in the water, it is normally suspended using cylindrical floats spaced every few feet, similar to swimming pool lane markers, with the ends of the nets marked with radio transponders. Other types of floats may be used, including larger spherical floats about 2-3 ft in diameter. The driftnets may vary from a couple hundred yards to several nautical miles in length.

Chart N/A

LNM: 09/04

THIRTEENTH COAST GUARD DISTRICT - Reporting suspicious activity

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the National Response Center (NRC) at (800) 424-8802. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning activity to their Local Federal Bureau of Investigation (FBI) Joint Terrorism Task Force (JTTF) Office, <http://www.fbi.gov/contact/fo/fo.htm>, or to other appropriate authorities. Individuals can contact the DHS Watch and Warning Unit at (202) 323-3205, toll free at (888) 585-9078, or by e-mail to nipc.watch@fbi.gov.

Chart N/A

LNM: 15/03

COLUMBIA RIVER - APPROACHES TO ASTORIA - Scientific Buoys

Oregon State University has deployed 38 scientific buoys on both sides of the navigational channel from river mile 0 to river mile 4, 20 scientific buoys from bank to bank on the west side of the Astoria Bridge at river mile 13, and 13 scientific buoys from bank to bank near Jim Crow Point at river mile 29 all on the Columbia River. Each buoy is a system of four 7in by 15in Styrofoam floats with attached contact information. For additional information, contact Oregon State University at (541) 737-2592.

Charts 18521, 18523

LNM: 18/04

COLUMBIA RIVER - ASTORIA - Construction Projects (Revision of LNM 45/02)

Marine construction activities are scheduled near Astoria on the Oregon side of the Columbia River at the Port of Astoria's Pier III near river mile 11. This is a long-term project that is expected to last until 2005. Mariners should use caution near the 1100-foot pier as piles may not be visible at high tide. For questions concerning the long-term Pier III project contact the Port of Astoria at (503) 325-4521.

Chart 18521

LNM: 35/03

COLUMBIA RIVER - BONNEVILLE, JOHN DAY DAM - Closures (Revision of LNM 17/04)

The John Day Navigational Locks will be closed for 8 hours daily, excluding Sundays from 1000 to 1800 local from 07 Jun to 19 Jun 04. For additional information, contact ACOE Portland District at (503) 808-4333.

Charts 18531, 18533, 18535

LNM: 21/04

COLUMBIA RIVER - THE DALLES - Telemetry Barges

USGS Columbia River Research Lab deployed 20 6ft by 8ft pontoon barges, each showing flashing yellow 4 seconds (FI Y 4s) lights, located on the Oregon side, outside the shipping channel between the Dalles Dam and mile 193 on the Columbia River. An additional 28 pontoon barges were deployed in the Boat Restriction Zone (BRZ) above the Dalles Dam, each showing flashing yellow 4 seconds (FI Y 4s) lights. All the barges are to be removed prior to 31 Aug 04. For additional information, contact Columbia River Research Laboratory at (509) 538-2299 Ext 267.
Chart 18533 LNM: 15/04

COLUMBIA AND SNAKE RIVERS - 2004 Summer Seasonal Lockage Schedule for Recreational Craft

The U.S. Army Corps of Engineers, Walla Walla and Portland Districts, have implemented the 2004 summer seasonal lockage schedule effective from 15 May to 15 September 04 for the passage of recreational craft through the following navigation locks:

Walla Walla District Locks			Portland District Locks		
Navigation Lock	Location	Chart	Navigation Lock	Location	Chart
McNary Dam	Columbia River Mile 292	18539	Bonneville Dam	Columbia River Mile 145	18531
Ice Harbor Dam	SNAKE River Mile 9.7	18545	The Dalles Dam	Columbia River Mile 191	18533
Lower Monumental Dam	SNAKE River Mile 41.6	18545	John Day Dam	Columbia River Mile 216	18535
Little Goose Dam	SNAKE River Mile 70.3	18546			
Lower Granite Dam	SNAKE River Mile 107.3	18548			

When a recreational vessel lockage schedule is in effect, recreational vessels will only be allowed to lock through at the times designated for such lockages and they will take precedence over commercial vessels. Commercial vessels will continue to be locked through upon arrival except during the times specified for recreational vessel lockages. At the discretion of the lock operator, recreational vessels may be allowed to lock through with commercial craft. All vessel owner/operators lock through at their own risk. Follow the directions of the lock operator when using the locks or operating in the vicinity of the locks. The lock operator has the final authority on the suitability of a craft for lockage. Refer to the U.S. Army Corps of Engineers Safe Lockage Policy for Recreational Craft on the Columbia and Snake Rivers for additional safety requirements. For additional information on this matter or copies of the Safe Lockage policy, visit the following website: <http://www.nwp.usace.army.mil/op/s/nl> or contact the Walla Walla District at (509) 527-7115/(509) 527-7113 or the Portland District at (503) 808-4332/(503) 808-4333.

The three Portland District Locks and the five Walla Walla District Locks will use the same lockage schedule making the lockage times for the entire Columbia/Snake River system identical for recreational vessels. The following seasonal recreational craft lockage schedule will be implemented beginning 15 May 2004:

Traffic Direction	Times				
Upstream Lockages	9:00 a.m.	12:01 p.m.	3:00 p.m.	6:00 p.m.	9:00 p.m.
Downstream Lockages	9:30 a.m.	12:30 p.m.	3:30 p.m.	6:30 p.m.	9:30 p.m.

Consideration will be given for special lockages to flotillas or other unique events sponsored by yacht clubs, marinas, and other groups, provided advance (24 hours) arrangements have been made with the appropriate operations manager or their appointed representative. The following project office and operations managers should be contacted for scheduling of special lockages:

Project	Operations Managers	Phone Number	Alternate Number
Bonneville	Chief Operator on Duty	(541) 374-8323	N/A
The Dalles	Chief Operator on Duty	(541) 298-4007	N/A
John Day	Chief Operator on Duty	(541) 298-9712	N/A
McNary	Randell Ryan	(541) 922-2251	(541) 922-3214
Ice Harbor	Scott Sutliff	(509) 543-3251	(509) 547-7783
Lower Monumental	Matt Allen	(509) 282-7353	(509) 282-3218
Little Goose Project	Scott Ross	(509) 399-2233 x253	(509) 399-2233 x231
Lower Granite Project	Martin Mendiola	(509) 843-1493 x258	(509) 843-1493 x231

Chart N/A

LNM: 19/04

OREGON / WASHINGTON - COASTAL REGION - Tsunami Reporting System

As part of the Pacific Tsunami Reporting System the following surface buoys have been deployed by NOAA. Each buoy is a 2.5-meter disk, red and white in color, with the word "TSUNAMI" on it. Each buoy has a "FL Y 4s" light.

Buoy 46404	45-51-32N, 128-46-40W
Buoy 46405	42-54-10N, 130-54-32W
Buoy D - 127	45-31-26N, 127-35-38W

Chart 501

LNM: 29/03

OREGON / WASHINGTON - COASTAL REGION - NOAA

NOAA buoys 46404 and 46405 have been temporarily discontinued.

Chart 501

LNM: 14/04

WYOMING - LORAN-C - Outage Proposal

This is a proposal to authorize LORSTA Gillette Wyoming (rate 9610-V/8290-X) unusable time from 1500Z to 2100Z 15 Jun 04 with the alternate time from 1500Z to 2100Z 16 Jun 04. Objections will be considered until 1500Z 10 Jun 04. Users shall address inquiries to the South Central U.S. Loran-C Chain Operations Control Officer at (703) 313-5873.

Chart N/A

LNM: 19/04

WASHINGTON - OFFSHORE - Research Buoys

The Olympic Coast National Marine Sanctuary will be deploying research buoys in the waters of the sanctuary from 17 May to 08 Oct 04. These buoys will be anchored in depths between 15 and 42 meters. Each buoy will consist of unlit, 16ft halibut longline, and aluminum poles with floats and red flags, each topped with a radar reflector. The locations of the buoys are:

Buoy	Latitude	Longitude	Planned depth
MB-1	48-19-30.0N	124-40-54.0W	15m
MB-2	48-19-18.0N	124-44-18.0W	42m
CA-1	48-09-54.0N	124-45-24.0W	15m
CA-2	48-09-54.0N	124-48-12.0W	42m
TH-1	47-52-30.0N	124-37-06.0W	15m
TH-2	47-50-42.0N	124-37-42.0W	31m
KL-1	47-35-54.0N	124-25-36.0W	15m
KL-2	47-35-36.0N	124-29-36.0W	27m
CE-1	47-21-19.0N	124-28-06.0W	42m

For additional information, contact Olympic Coast National Marine Sanctuary at (360) 457-6622.
Chart 18480 LNM: 19/04

WASHINGTON - STRAIT OF JUAN DE FUCA, STRAIT OF GEORGIA AND SAN JUAN ISLANDS - Survey Operations

The Washington Department of Fish and Wildlife (WDFW) will be conducting a resource survey for bottom fishes from 19 Apr to 18 Jun 04. The survey will be in the Strait of Juan De Fuca east to Port Townsend and Whidbey Island and north to the San Juan Islands and the Strait of Georgia to the U.S. - Canada border. The F/V Chasina has been chartered by the WDFW, has a sign WDFW RESEARCH posted on the side and will be monitoring VHF-FM Channel 16. Vessels are requested to exercise caution in the vicinity of the research vessel. For additional information, contact WDFW at (425) 379-2313.

Charts 18460, 18465, 18421 LNM: 15/04

WASHINGTON - ROSSARIO STRAIT - Research Buoys

NOAA has established three temporary yellow lighted research buoys showing the characteristic Flashing Yellow 6 seconds (Fl Y 6s) for a period of 8 to 10 weeks.

Buoy 1	48-28-32.7N 122-42-40.2W
Buoy 2	48-28-35.9N 122-52-53.2W
Buoy 3	48-28-30.6N 122-42-51.9W

Chart 18421 LNM: 18/04

WASHINGTON - ELLIOTT BAY - Terminal 46 Construction

The American Construction Company has commenced construction that includes pile driving at terminal 46 for the Port of Seattle. Pile driving work will be from 0700 to 1700 local Monday through Saturday 12 Dec 03 to the end of Jun 04. The crane DB Palouse will be moored on anchors, and crown buoys will be used to mark the anchor locations. DB Palouse will monitor VHF-FM Channel 16. All vessels are requested to minimize wake in the vicinity of construction. For additional information contact the American Construction Co at (206) 264-0701.

Chart 18449 LNM: 50/03

WASHINGTON - STRAIT OF JUAN DE FUCA - PUGET SOUND - Security Zone of Passenger Vessels (Revision to LNM 06/03)

The Coast Guard is establishing a temporary moving security zone of 500 yards surrounding passenger vessels while within the waters of Puget Sound and adjacent waters. A passenger vessel is defined as any vessel over 100 feet in length (33 meters) carrying passengers for hire such as auto ferries, cruise ships, passenger ferries, and excursion vessels. All vessels within 500 yards of a passenger vessel shall operate at the minimum speed necessary to maintain a safe course and shall proceed as directed by the Official Patrol or passenger vessel master. The Official Patrol will consist of a Coast Guard patrol, Federal Law Enforcement officer or a General Authority Washington Peace Officer, Limited Authority Washington Peace Officer, Specially Commissioned Washington Peace Officer, or the passenger vessel master. This order is issued under the authority of the Ports and Waterways Safety Act, Title 33, U. S. Code 1221 et. Seq., and the regulations issued thereunder, Title 33, Code of Federal Regulations Part 165.

Physical Boundaries: The following area is a security zone: All waters of Puget Sound, Washington State east of 123-30-00W [Datum: NAD 1983] within a 500 yard radius centered on passenger vessels while they are underway, anchored or moored.

Special Rules: All vessels within 500 yards of a passenger vessel shall operate at the minimum speed necessary to maintain a safe course, and shall proceed as directed by the Official Patrol or the passenger vessel master. No vessels will be allowed to transit this area without the permission of the Coast Guard, the Official Patrol or the passenger vessel master. Penalties for violating the zone: The Ports and Waterways Safety Act prescribes that whoever violates an order issued under the act is liable to a civil penalty of not more than \$27,500 for each violation. Each day of continuing violation shall constitute a separate violation. If such a violation is willful, you are subject to a criminal penalty of not more than \$250,000 and/or six years imprisonment. This criminal penalty is classified as a class "D" felony under federal law. Contact the Coast Guard Marine Safety Office, Puget Sound at (206) 217-6215 or VHF-FM Channel 16 for more information.

Chart N/A LNM: 32/03

WASHINGTON - PUGET SOUND - Diving operations

Geoduck harvesting diving operations will be conducted in the vicinity of Skiff Point from 0800 to 1600 local, Monday through Friday excluding state holidays, from 08 Apr to 21 Jun 04. The Department of Natural Resources patrol boat will be on site and monitoring VHF-FM Channel 8. Mariners are requested to maintain a 300ft CPA from the dive vessels. For additional information, contact the Washington Department of Natural Resources at (360) 902-1100.

Chart 18448 LNM: 15/04

WASHINGTON - PUGET SOUND - SEATTLE TO BREMERTON - Ongoing Construction of Pier 36

During ongoing construction at Pier 36 that is expected to be completed September 2005, barges will be moored on the western face of Pier 36 sporadically. Barges will be marked with white flashing lights on the west corners and extend off the face no more than 110 ft. Mariners are requested to exercise caution in the vicinity of Pier 36.

Chart 18449

LNM: 33/03

WASHINGTON - COMMENCEMENT BAY - Tacoma - Construction Operations

An inter-tidal basin has been excavated in approximate position 47-18-23N 122-30-32W. This is part of a construction activity completed at the Asarco Tacoma Smelter Facility of the Commencement Bay Nearshore/ Tideflats Superfund Site Operable Unit 02 (commonly known as the "slag pile"). The dimensions of the basin are approximately 600 ft long (parallel to the shoreline) by 200 ft wide (perpendicular to the shoreline). A rock breakwater with a crest elevation of +10 ft MLLW is located at the seaward edge of the basin. Mariners are urged to use caution when transiting this area as the breakwater is not visible at all tidal conditions.

Chart 18448

LNM: 39/00

WASHINGTON - STRAIT OF JUAN DE FUCA ENTRANCE - Exposed Submarine Cable (Revision of LNM 42/01)

25 segments of exposed or partially exposed cable have been identified in the Olympic Coast National Marine Sanctuary (OCNMS). The exposed cable locations are in the vicinity of Cape Flattery to 25 NM offshore. The exposed cables pose the greatest hazard to trawling and fishing vessels. Vessels that suspect their gear is snagged on the exposed cable should call Global Crossing at (800) 409-4471. The positions and lengths of exposed cable (see LNM 45/01 for detailed information available online at <http://www.navcen.uscg.gov/lnm/d13>) are only those identified within the OCNMS. It is likely that there are additional locations of exposed cable outside of the OCNMS. The general area of exposed cable is located within the following coordinates:

Lat/Long	Lat/Long
48-26-45.0N 125-21-18.0W	48-26-45.0N 124-38-15.0W
48-21-18.0N 125-21-18.0W	48-21-18.0N 124-38-15.0W

Chart 18480

LNM: 43/01

WASHINGTON - PUGET SOUND - COMMENCEMENT BAY - Piling Removal Project

A piling removal project has commenced at the NW end of the spit separation of the St. Paul and Middle Waterways in approximate position 47-16-10N 122-26-00W. The removal of these pilings may make it difficult to identify the rock pile spit that extends into the bay. Mariners are advised to exercise caution when transiting this area.

Chart 18448

LNM: 52/02

WASHINGTON - PUGET SOUND - DUWAMISH WATERWAY - Submerged Barge (Revision of LNM 05/03)

Six barges rather than the one barge previously reported in December 2002, have sunk in the Duwamish Waterway approximately 150 yards south of the 1st Avenue Bridge and are protruding into the west side of the channel. The owner of the partially submerged barge has marked the corner in the channel with a red float and a quick flashing red light. Attempts to salvage the barge have been unsuccessful. An announcement will appear in this publication as changes occur. Contact the Army Corps of Engineers at (206) 764-3429 for more information.

Chart 18450

LNM: 16/03

WASHINGTON - PUGET SOUND - Marine Events

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
06/08/2004	Interim Evening Tues Evening	Lake Washington	Corinthian Yacht Club
06/09/2004	Interim Evening Wed Evening	Lake Washington	Corinthian Yacht Club
06/09/2004	Wind Seekers Summer Eve A	Commencement Sound	Wind Seekers Yacht Club
06/09/2004	Interim Evening-PHRF	Meadow Pt	Corinthian Yacht Club
06/09/2004	Summer Series 1	Bellingham Bay	Bellingham Bay
06/10/2004	Interim Evening-One Design	Meadow Pt	Corinthian Yacht Club
06/10/2004	Downtown Sailing Series	Elliott Bay	Elliott Bay Marina
06/11/2004	Anthony's SYC Kirkland Fri	Lake Washington	Seattle Yacht Club
06/11/2004	Fun on Fridays Series	Commencement Bay	Corinthian YC of Tacoma
06/11/2004	June Six Pac	Sinclair Inlet	West Sound Corinthian YC
06/11/2004	Race for Dinner	Shilshole Bay	Charlie's at Shilshole
06/12/2004	Summer Solstice	Meadow Pt	Corinthian Yacht Club
06/12/2004	Blake Island/Blakely Rock	Around Blake Island	Seattle Yacht Club
06/12/2004	Predicted Log 2004	Friday Harbor/Upright Channel	Friday Harbor Power Squadron
06/12/2004	Friday Night Log Dodge	Possession Sound	Milltown Sailing Association
06/12/2004	Windermere Regatta	Guemes Island	Anacortes Yacht Club
06/13/2004	Windermere Regatta	Guemes Island	Anacortes Yacht Club
06/13/2004	Summer Solstice	Meadow Pt	Corinthian Yacht Club
06/13/2004	SSYC Race Series	Shilshole Marina to Pt Monroe	Seattle Singles Yacht Club
06/14/2004	Sloop Tavern Ballard Cup	Shilshole Marina	Sloop Tavern Yacht Club
06/14/2004	Ballard Cup Series 2	Shilshole Bay	Shilshole Bay Yacht Club
06/15/2004	Interim Evening Tues Evening	Lake Washington	Corinthian Yacht Club

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
06/16/2004	Summer Series 2	Bellingham Bay	Bellingham Bay
06/16/2004	Interim Evening-PHRF	Meadow Pt	Corinthian Yacht Club
06/16/2004	Wind Seekers Summer Eve A	Commencement Sound	Wind Seekers Yacht Club
06/16/2004	Ottertadt II	Fidalgo Bay	Anacortes Yacht Club
06/16/2004	Etchell Regatta	Bellingham Bay	Bellingham Bay
06/16/2004	Interim Evening Wed Evening	Lake Washington	Corinthian Yacht Club
06/17/2004	Downtown Sailing Series	Elliott Bay	Elliott Bay Marina
06/17/2004	Interim Evening-One Design	Meadow Pt	Corinthian Yacht Club
06/18/2004	June Six Pac	Sinclair Inlet	West Sound Corinthian YC
06/18/2004	Anthony's SYC Kirkland Fri	Lake Washington	Seattle Yacht Club
06/18/2004	Race for Dinner	Shilshole Bay	Charlie's at Shilshole
06/19/2004	Friday Night Log Dodge	Possession Sound	Milltown Sailing Association
06/19/2004	Summer Solstice	Vicinity Shilshole Bay Marina	Seattle Yacht Club
06/20/2004	Summer Solstice	Vicinity Shilshole Bay Marina	Seattle Yacht Club
06/20/2004	SSYC Race Series	Shilshole Marina to Pt Monroe	Seattle Singles Yacht Club
06/21/2004	Ballard Cup Series 2	Shilshole Bay	Shilshole Bay Yacht Club
06/21/2004	Sloop Tavern Ballard Cup	Shilshole Marina	Sloop Tavern Yacht Club
06/22/2004	Interim Evening Tues Evening	Lake Washington	Corinthian Yacht Club
06/23/2004	Ottertadt III	Fidalgo Bay	Anacortes Yacht Club
06/23/2004	Interim Evening Wed Evening	Lake Washington	Corinthian Yacht Club
06/23/2004	Summer Evening- PHRF	Meadow Pt	Corinthian Yacht Club
06/23/2004	Wind Seekers Summer Eve B	Commencement Sound	Wind Seekers Yacht Club
06/24/2004	Summer Evening-One Design	Meadow Pt	Corinthian Yacht Club
06/24/2004	Downtown Sailing Series	Elliott Bay	Elliott Bay Marina
06/25/2004	June Six Pac	Sinclair Inlet	West Sound Corinthian YC
06/25/2004	Anthony's SYC Kirkland Fri	Lake Washington	Seattle Yacht Club
06/25/2004	Race for Dinner	Shilshole Bay	Charlie's at Shilshole
06/25/2004	Summer Vashon Island	Colvos Passage/East Passage	Tacoma Yacht Club
06/26/2004	Friday Night Log Dodge	Possession Sound	Milltown Sailing Association
06/26/2004	33rd Annual Blake Island Race	Sinclair Inlet/Rich Passage	Bremerton Yacht Club
06/26/2004	J-Fest	Puget Sound	Corinthian Yacht Club
06/26/2004	Cruise & Snooze	West Point to Point Monroe	Seattle Yacht Club
06/27/2004	Cruise & Snooze	West Point to Point Monroe	Seattle Yacht Club
06/27/2004	J-Fest	Meadow Pt	Corinthian Yacht Club
06/27/2004	SSYC Race Series	Shilshole Marina to Pt Monroe	Seattle Singles Yacht Club
06/28/2004	Ballard Cup Series 2	Shilshole Bay	Shilshole Bay Yacht Club
06/28/2004	Single/Double Handed	Possession Sound	Milltown Sailing Association
06/28/2004	Sloop Tavern Ballard Cup	Shilshole Marina	Sloop Tavern Yacht Club
06/29/2004	Summer Evening Tues Eve	Lake Washington	Corinthian Yacht Club
06/30/2004	Wind Seekers Summer Eve B	Commencement Sound	Wind Seekers Yacht Club
06/30/2004	Summer Evening- PHRF	Meadow Pt	Corinthian Yacht Club
06/30/2004	Ottertadt IV	Fidalgo Bay	Anacortes Yacht Club
06/30/2004	Summer Series 3	Bellingham Bay	Bellingham Bay
06/30/2004	Summer Evening Wed Eve	Lake Washington	Corinthian Yacht Club

SECTION VIII – LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18817	Swinomish Channel South Entrance - Daybeacon 14	48 22 03 N 122 31 32 W *			TR on dolphin.		23/04

PUBLICATION CORRECTIONS

Publication—National Ocean Service—U.S. Coast Pilot 7, Pacific Coast: California, Oregon, Washington, Hawaii, and Pacific Islands, 2004 (36th) Edition.
Change No. 12

Coast Pilot 7 36th 2004 Corrections

Page 8-Paragraph 144, lines 14-17; read:
lightships, buoys, fog signals, and electronic aids.
(NOS/04)

Page 177-Paragraph 2977, line 3; read:
zone by local law enforcement as necessary.

§165.1185 Regulated Navigation Area; San Francisco Bay, San Pablo Bay, Carquinez Strait, Suisun Bay, Sacramento River, San Joaquin River, and connecting waters in California.

(a) *Location.* All waters of San Francisco Bay, San Pablo Bay, Carquinez Strait, Suisun Bay, Sacramento River, San Joaquin River, and connecting waters in California are a Regulated Navigation Area.

(b) *Definitions.* "Liquefied hazardous gas (LHG)" is a liquid containing one or more of the products listed in Table 127.005 of 33 CFR 127.005 that is carried in bulk on board a tank vessel as a liquefied gas product. The hazards normally associated with these products include toxic or flammable properties or a combination of both.

(c) *Regulations.* All vessels loaded with a cargo of liquefied hazardous gas (LHG) within this Regulated Navigation Area must proceed directly to their intended cargo reception facility to discharge their LHG cargo, unless:

(1) The vessel is otherwise directed or permitted by the Captain of the Port. The Captain of the Port can be reached at telephone number 415-399-3547 or on VHF-FM channel 16 (156.8 MHz). If permission is granted, all persons and vessels must comply with the instructions of the Captain of the Port or his or her designated representative.

(2) The vessel is in an emergency situation and unable to proceed as directed in paragraph (a) of this section without endangering the safety of persons, property, or the environment.

§165.1187 Security Zones; Golden Gate Bridge and the San Francisco-Oakland Bay Bridge, San Francisco Bay, California.

(a) *Location.* All waters extending from the surface to the sea floor, within 25 yards of all piers, abutments, fenders and pilings of the Golden Gate Bridge and the San Francisco-Oakland Bay Bridge, in San Francisco Bay, California.

(b) *Regulations.* (1) In accordance with the general regulations in §165.33 of this part, entry into these security zones is prohibited, unless doing so is necessary for safe navigation, to conduct official business such as scheduled maintenance or retrofit operations, or unless specifically authorized by the Captain of the Port San Francisco Bay or his designated representative.

(2) Persons desiring to transit the area of the security zone may contact the Captain of the Port at telephone number 415-399-3547 or on VHF-FM channel 16 (156.8 MHz) to seek permission to transit the area. If permission is granted, all persons and vessels must comply with the instructions of the Captain of the Port or his or her designated representative.

(c) *Enforcement.* All persons and vessels shall comply with the instructions of the Coast Guard Captain of the Port or the designated on-scene patrol personnel. Patrol personnel comprise commissioned, warrant, and petty officers of the Coast Guard onboard Coast Guard, Coast Guard Auxiliary, local, state, and federal law enforcement vessels. Upon being hailed by U.S. Coast Guard patrol personnel by siren, radio, flashing light, or other means, the operator of a vessel shall proceed as directed.

(FR 5/27/04; CL 298/04; FR 3/10/04)

ENCLOSURES

Oregon - Washington - Columbia River - Dredging Operations >See Append 1<
Umpqua River - Tabulation: Umpqua River Channel >See Append 2<

If you have any questions, comments, or need additional information concerning this or other LNMs or the LNM Mailing List (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

D. R. McCRIMMON, JR.
Commander, U.S. Coast Guard
Chief, Aids to Navigation & Waterways Management Branch
Thirteenth Coast Guard District
By direction of the District Commander

OREGON – WASHINGTON – COLUMBIA RIVER – Dredging Operations

Dredging operations are planned or in progress at the following locations :

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNМ
19 Jun 04	24 Jun 04	24 hours 7 days	<u>Coos Bay</u> River Mile 8+37+00 to 9+30+00 and Charleston Harbor	Yaquina		13 and 16 VHF-FM	Coos Bay Ocean Site F	22/04
10 Jun 04	25 Jun 04	24 hours 7 days	<u>Columbia River</u> <u>River Mile 21+00+00 to</u> <u>24+00+00</u>	Oregon		13 and 16 VHF-FM	Miller Sands Island	23/04
13 Jun 04	18 Jun 04	24 hours 7 days	<u>Chetco River</u> River Mile 0-05-00 to 0+15+00	Yaquina		13 and 16 VHF-FM	Chetco River Ocean Site	22/04
In progress	12 Jun 04	24 hours 7 days	<u>Rogue River</u> River Mile 0-17-00 to 0+00+00	Yaquina		13 and 16 VHF-FM	Rogue River Ocean Site – Section 103 ODMDS	22/04
In progress	10 Jun 04	24 hours 7 days	<u>Columbia River</u> <u>River Mile 66 to 69</u>	Oregon		13 and 16 VHF-FM	Outside the Channel	22/04

*US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made.

UMPQUA RIVER CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF APR 2004 AND SURVEYS TO MAR 2004							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)				PROJECT DIMENSIONS			
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
ENTRANCE CHANNEL TO LT. 21	16	17	18	9-02; 9, 10-03; 3-04	200	7.0	26-22
LT. 21 TO REEDSPORT	17	19	17	5-02; 9, 10-02	200	2.7	22
REEDSPORT TURNING BASIN	25	24	24	5-02; 10-02	600	0.2	22
LT. 21 TO GARDINER	12	13	11	10-01	200	1.15	22
GARDINER TURNING BASIN	5	2	2	10-01	500	0.2	22
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							